

GENIEMAT[®] FF70

FLOATING FLOOR PANEL SYSTEM



PRODUCT SPECIFICATION

PRODUCT NAME: GenieMat FF70

DESCRIPTION: Pre-engineered OSB (oriented strand board) subfloor panels complete with rubber isolators and mineral wool insulation. Rubber isolators made from 92% recycled rubber content. **GenieMat FF70** used when superior sound control is required in mechanical rooms, sound studios, home theatres, entertainment venues, medical facilities, exercise, gym, and dance floors, and commercial, industrial, and multifamily housing.

APPLICATION: Shock absorbing, and airborne and impact sound reducing subfloor panels to be used under gypsum, light-weight or full-weight concrete, or finished floors.

FEATURES AND BENEFITS:

- Significantly increases IIC and STC ratings
- Mold, bacteria, fungi, and water resistant
- No potential mold-producing fibreglass
- Will not break down or move under load – strong enough for trades to work on before pouring or laying plywood
- Easy to install, stays in place, and will not move when laid. No need to glue

DIMENSION: Panel: 23 1/4" wide, 23 1/4" long (nom. 590 mm wide, 590 mm long)

THICKNESS: 2 3/4" (nom. 70 mm) ± 1/16" tolerance

PANEL WEIGHT: 12.8 lb (5.8 kg)

PANEL AREA: 3.8 ft² (0.4 m²)

PANELS/PALLET: 72

LEAD TIME: 2-3 weeks after receipt of order

For Your Project Specific Questions
T. 416.449.0049 | E. info@pliteq.com

© Pliteq Inc. 2020.

06/20 [®] Trademarks of Pliteq Inc. The information provided is accurate to the best of our knowledge at the time of issue. However, we reserve the right to make changes when necessary without further notification. Suggested application may need to be modified to conform with local building codes and conditions. We cannot accept responsibility for products that are not used, or installed, to our specifications. All listed dimensions are nominal.



www.pliteq.com

GENIEMAT[®] FF70

FLOATING FLOOR PANEL SYSTEM




TECHNICAL DATA

PRODUCT WEIGHT: 3.4 lb/ft² (14.5 kg/m²)

LABORATORY IMPACT INSULATION CLASS (ASTM E492): Specified floor-ceiling assembly must be tested in a NVLAP-certified laboratory and comply with ASTM standards.

FIELD IMPACT INSULATION CLASS (ASTM E1007): Specified floor-ceiling assembly must meet requirement as stated by building code and/or acoustical consultant.

TEMPERATURE STABILITY: -40°F to +239°F (-40°C to +115°C)



CONTACT US

For Your Project Specific Questions
T. 416.449.0049 | E. info@pliteq.com

© Pliteq Inc. 2020.

06/20 [®] Trademarks of Pliteq Inc. The information provided is accurate to the best of our knowledge at the time of issue. However, we reserve the right to make changes when necessary without further notification. Suggested application may need to be modified to conform with local building codes and conditions. We cannot accept responsibility for products that are not used, or installed, to our specifications. All listed dimensions are nominal.



www.pliteq.com